




Wire Create Edit Other

Coord Entry Mode Preserve Connections Show Wire Insulation Show Loss

No.	End 1			Conn	End 2			Conn	Diameter (mm)	Segs	Insulation		
	X (m)	Y (m)	Z (m)		X (m)	Y (m)	Z (m)				Diel C	Thk (mm)	Loss Tan
1	0	0.517	0		0	0	0	W2E2	6.35	19	1	0	0
2	0	-0.517	0		0	0	0	W1E2	6.35	19	1	0	0
3	0.237569	0	0	W6E1	0.237569	0.315	0	W4E1	12	21	1	0	0
4	0.237569	0.315	0	W3E2	0.237569	0.511	0		8	7	1	0	0
5	0.237569	-0.315	0	W6E2	0.237569	-0.511	0		8	7	1	0	0
6	0.237569	0	0	W3E1	0.237569	-0.315	0	W5E1	12	17	1	0	0
7	0.308	0	0	W8E1	0.308	0.2975	0	W10E1	12	17	1	0	0
8	0.308	0	0	W7E1	0.308	-0.2975	0	W9E1	12	17	1	0	0
9	0.308	-0.2975	0	W8E2	0.308	-0.48	0		8	11	1	0	0
10	0.308	0.2975	0	W7E2	0.308	0.48	0		8	11	1	0	0
11	0.617281	0	0	W12E1	0.617281	0.467	0		6.35	21	1	0	0
12	0.617281	0	0	W11E1	0.617281	-0.467	0		6.35	21	1	0	0
13	1.01489	0	0	W14E1	1.01489	0.462	0		6.35	21	1	0	0
14	1.01489	0	0	W13E1	1.01489	-0.462	0		6.35	21	1	0	0
15	1.55265	0	0	W16E1	1.55265	0.459	0		6.35	21	1	0	0
16	1.55265	0	0	W15E1	1.55265	-0.459	0		6.35	21	1	0	0
17	2.175	0	0	W18E1	2.175	0.452	0		6.35	21	1	0	0
18	2.175	0	0	W17E1	2.175	-0.452	0		6.35	21	1	0	0
19	2.87574	0	0	W20E1	2.87574	0.42	0		6.35	21	1	0	0
20	2.87574	0	0	W19E1	2.87574	-0.42	0		6.35	21	1	0	0



EZNEC Pro/2+ v. 7.0

File Edit Options Outputs Setups View Utilities Help

2M8 OWA G0UIH

- File: 2M8_OWA_dev.ez
- Frequency: 145.45 MHz
- Wavelength: 2.06114 m
- Wires: 20 Wires, 356 segments
- Sources: 1 Source
- Loads: 0 Loads
- Trans Lines: 0 Transmission Lines
- Transformers: 0 Transformers
- L Networks: 0 L Networks
- Y Param Networks: 0 Y Param Networks
- Ground Type: Free Space
- Wire Loss: Aluminum (6061-T6)
- Units: Meters
- Plot Type: Azimuth
- Elevation Angle: 0 Deg.
- Step Size: 1 Deg.
- Ref Level: 0 dBi
- Alt SWR Z0: 13 ohms
- Desc Options
- Gnd Wave Dist: OFF